REFERENCES

[1] Ablowitz, M. J. and Clarkson, P. A., *Solitions, Nonlinear Evolution Equations and Inverse Scattering.* Cambridge: Cambridge University Press, 1992.

[2] Angenent, S. B., "The periodic orbits of an area preserving twist-map," *Commun. Math. Phys.*, vol. 115, pp. 353–374, 1988.

[3] Aranson, I. S. and Kramer, L., "The world of complex Ginzburg-Landau equation," *Rev. Mod. Phys.*, vol. 74, pp. 99–143, 2002.

[4] Aranson, I. S. and Kramer, L., "The world of the complex Ginzburg-Landau equation," *Rev. Mod. Phys.*, vol. 74, pp. 99–143, 2002.

[5] Armbruster, D., Guckenheimer, J., and Holmes, P., "Heteroclinic cycles and modulated travelling waves in systems with o(2) symmetry," *Physica D*, vol. 29, pp. 257–282, 1988.

[6] Armbuster, D., Guckenheimer, J., and Holmes, P., "Kuramoto-Sivashinsky dynamics on the center-unstable manifold," *SIAM J. Appl. Math.*, vol. 49, no. 3, pp. 676–691, 1989.

[7] Arnold, V. I., "Kolmogorov's hydrodynamic attractors," *Proc. R. Soc. Lond. A*, vol. 434, no. 1890, pp. 19–22, 1991.

[8] Arnol'd, V. I., *Ordinary Differential Equations.* New York: Springer, 1992.

[9] Artuso, R., Aurell, E., and Cvitanović, P., "Recycling of strange sets: I. cycle expansions," *Nonlinearity*, vol. 3, p. 325, 1990.

[10] Artuso, R., Cvitanović, P., and Tanner, G., "Cycle expansions for intermittent maps," *Proc. Theo. Phys. Supp.*, vol. 150, pp. 1–21, 2003.

[11] Aubry, S., "Anti-integrability in dynamical and variational problems," *Physica D*, vol. 86, pp. 284–296, 1995.

[12] Auerbach, D., Cvitanović, P., Eckmann, J.-P., Gunaratne, G., and Procaccia, I., "Exploring chaotic motion through periodic orbits," *Phys. Rev. Lett.*, vol. 58, p. 23, 1987.

[13] Baker, N. H., Moore, D. W., and Spiegel, E. A., "Aperiodic behavior of a non-linear oscillator," *Quatr. J. Mech. and Appl. Math.*, vol. 24, p. 391, 1971.

[14] Bazhenov, M., Bohr, T., Gorshkov, K., and Rabinovich, M., "The diversity of steady state solutions of the complex Ginzburg-Landau equation," *Phys. Lett. A*, vol. 217, p. 104, 1996.

[15] Bekki, N. and Nozaki, K., "Formations of spatial patterns and holes in the generalized Ginzburg-Landau equation," *Phys. Lett.*, vol. 110A, pp. 133–135, 1985.

[16] Ben-Naim, E. and Krapivsky, P. L., "Growth and structure of stochastic sequences," *J. Phys. A: Math. Gen.*, vol. 35, pp. L557–L563, 2002.

[17] Benney, D. J., "Long waves in liquid films," *J. Math. Phys*, vol. 45, pp. 150–155, 1966.

[18] Biham, O. and Wenzel, W., "Characterization of unstable periodic orbits in chaotic attractors and repellers," *Phys. Rev. Lett.*, vol. 63, p. 819, 1989.

[19] Biham, O. and Wenzel, W., "Unstable periodic orbits and the symbolic dynamics of the complex hénon map," *Phys. Rev. E*, vol. 42, no. 8, p. 4639, 1990.

[20] Biham, O., Chandre, C., and Cvitanović, P. sect. *"Cyclists relaxation method"*, in ref. [51].

[21] Biró, T. S., Matinyan, S. G., and Müller, B., *Chaos and Gauge Field Theory.* Singapore: World Scientific, 1994.

[22] Bohr, T., Jensen, M. H., Paladin, G., and Vulpiani, A., *Dynamical Systems Approach to Turbulence.* No. 7 in Cambridge Nonlinear Science Series, Cambridge: Cambridge University Press, 1998.

[23] Bouquet, S., "Hamiltonian structure and integrability of the stationary Kuramoto-Sivashinsky equation," *J. Math. Phys.*, vol. 36, no. 3, p. 1242, 1995.

[24] Brandenburg, A., "Computational aspects of astrophysical MHD and turbulence," in *Advances in Nonlinear Dynamos* (Ferriz-Mas, A. and Núñez, M., eds.), pp. 269–344, London: Taylor & Francis, 2003. `astro-ph/0109497`.

[25] Brodin, G. and Lundberg, J., "Nonlinear surface waves in a plasma with a diffuse boundary," *Phys. Plasmas*, vol. 1, p. 96, 1994.

[26] Broer, H. W., Osinga, H. M., and Vegter, G., "Algorithms for computing Normally Hyperbolic Invariant Manifolds," *Z. Angew. Math. Phys.*, vol. 48, p. 480, 1997.

[27] Brusch, L., Torcini, A., and Bär, M., "Nonlinear analysis of the Eckhaus instability: modulated amplitude waves and phase chaos with nonzero average phase gradient," *Physica D*, vol. 174, no. 1-4, pp. 152–167, 2003.

[28] Brusch, L., Torcini, A., van Hecke, M., Zimmermann, M. G., and Bär, M., "Modulated amplitude waves and defect formation in the one-dimensional complex Ginzburg-Landau equation," *hysica D*, vol. 160, pp. 127–148, 2001.

[29] Brusch, L., Torcini, A., van Hecke, M., Zimmermann, M. G., and Bär, M., "Modulated amplitude waves and defect formation in the one-dimensional complex Ginzburg-Landau equation," *Physica D*, vol. 160, pp. 127–148, 2001.

[30] Brusch, L., Zimmermann, M. G., van Hecke, M., Bär, M., and Torcini, A., "Modulated amplitude waves and the transition from phase to defect chaos," *Phys. Rev. Lett.*, vol. 85, no. 1, p. 86, 2000.

[31] Cariello, F. and Tabor, M., "Painlevé expansions for nonintegrable evolution equations," *Physica D*, vol. 39, p. 77, 1989.

[32] Chandre, C., Wiggins, S., and Uzer, T., "Time-frequency analysis of chaotic systems," *Physica D*, vol. 181, p. 171, 2003.

[33] Chang, H.-C., "Travelling waves on fluid interfaces: Normal form analysis of the Kuramoto-Sivashisky equation," *Phys. Fluids*, vol. 29, no. 10, p. 3142, 1986.

[34] Chang, H. C., "Wave evolution on a falling film," *Ann. Rev. Fluid Mech.*, vol. 26, pp. 103–136, 1994.

[35] Chaté, H., "Spatiotemporal intermittency regimes of the one-dimensional complex Ginzburg-Landau equation," *Nonlinearity*, vol. 7, pp. 185–204, 1994.

[36] Chaté, H. and Manneville, P., "Transition to turbulence via spatiotemporal intermittency," *Phys. Rev. Lett.*, vol. 58, no. 2, p. 112, 1987.

[37] Christiansen, F., Cvitanović, P., and Putkaradze, V., "Spatiotemporal chaos in terms of unstable recurrent patterns," *Nonlinearity*, vol. 10, p. 55, 1997.

[38] Christiansen, F. chapter *"Fixed points, and how to get them"*, in ref. [51].

[39] Cohen, B. I., Krommes, J. A., Tang, W. M., and Rosenbluth, M. N., "Nonlinear saturation of the dissipative trapped-ion mode by mode coupling," *Nucl. Fusion*, vol. 16, pp. 971–991, 1972.

[40] Collet, P., Eckmann, J. P., Epstein, H., and Stubbe, J., "Analyticity for the Kuramoto-Sivashinsky equation," *Physica D*, vol. 67, pp. 321–326, 1993.

[41] Collet, P., Eckmann, J. P., Epstein, H., and Stubbe, J., "A global attracting set for the Kuramoto-Sivashinsky equation," *Commun. Math. Phys.*, vol. 152, pp. 203–214, 1993.

[42] Collet, P., Eckmann, J.-P., and Lanford, O. E., "Universal properties of maps on an interval," *Commun. Math. Phys.*, vol. 76, p. 211, 1980.

[43] Conley, C., *Isolated Invariant Sets and the Morse Index.* Providence, RI: AMS, 1978.

[44] Conte, R., *The Painlevé property: one century later.* New York: Springer, 1999.

[45] Creutz, M., *Quantum Fields on the Computer.* Singapore: World Scientific, 1992.

[46] Cross, M. C. and Hohenberg, P. C., "Pattern formation outside of equilibrium," *Rev. Mod. Phys*, vol. 65, no. 3, p. 851, 1993.

[47] Cross, M. C. and Hohenberg, P. C., "Pattern formation outside of equilibrium," *Rev. Mod. Phys.*, vol. 65, no. 3, 1993.

[48] Cross, M. C. and Hohenberg, P. C., "Spatiotemporal chaos," *Science*, vol. 263, no. 5153, pp. 1569–1570, 1994.

[49] Cvitanović, P., *Universality in Chaos.* Bristol: Adam Hilger, 1989. Second Edition.

[50] Cvitanović, P., "Periodic orbits as the skeleton of classical and quantum chaos," *Physica D*, vol. 51, p. 138, 1991.

[51] Cvitanović, P., Artuso, R., Mainieri, R., Tanner, G., and Vattay, G., *Chaos: Classical and Quantum.* Copenhagen: Niels Bohr Institute, 2003. ChaosBook.org.

[52] Cvitanović, P., Dettmann, C. P., Mainieri, R., and Vattay, G., "Trace formulas for stochastic evolution operators: Weak noise perturbation theory," *J. Stat. Phys.*, vol. 93, p. 981, 1998.

[53] Cvitanović, P. and Eckhardt, B., "Periodic orbit expansions for classical smooth flows," *J. Phys. A*, vol. 24, p. L237, 1991.

[54] Cvitanović, P. and Eckhardt, B., "Symmetry decomposition of chaotic dynamics," *Nonlinearity*, vol. 6, p. 277, 1993. `chao-dyn/9303016`.

[55] Cvitanović, P. and Hansen, K. T., "Bifurcation structures in maps of hnon type," *Nonlinearity*, vol. 11, p. 1233, 1998.

[56] Cvitanović, P. and Lan, Y., "Turbulent fields and their recurrences," in *Proceedings of 10th International Workshop on Multiparticle Production: Correlations and Fluctuations in QCD* (Antoniou, N., ed.), (Singapore), World Scientific, 2003. `nlin.CD/0308006`.

[57] Cvitanović, P., "Invariant measurement of strange sets in terms of cycles," *Phys. Rev. Lett.*, vol. 61, p. 2729, 1988.

[58] Cvitanović, P., "Chaotic field theory: a sketch," *Physica A*, vol. 288, p. 61, 2000. `nlin.CD/0001034`.

[59] Dankowicz, H., Holmes, P., Berkooz, G., and Elezgaray, J., "Local models of spatio-temporally complex fields," *Physica D*, vol. 90, pp. 387–407, 1996.

[60] Daviaud, F., Lega, J., Bergé, P., Coullet, P., and Dubois, M., "Spatio-temporal intermittency in a 1d convective pattern: theoretical model and experiments," *Physica D*, vol. 55, pp. 287–308, 1992.

[61] Davidchack, R. L. and Lai, Y.-C., "Efficient algorithm for detecting unstable periodic orbits in chaotic systems," *Phys. Rev. E*, vol. 60, p. 6172, 1999.

[62] Dettmann, C. P. and Cvitanović, P., "Cycle expansions for intermittent diffusion," *Phys. Rev. E*, vol. 56, p. 6687, 1997.

[63] Devaney, R. L., *An Introduction to Chaotic Dynamical systems.* Red-wood City: Addison-Wesley, 1989.

[64] Diakonos, F. K., Schmelcher, P., and Biham, O., "Systematic computation of the least unstable periodic orbits in chaotic attractors," *Phys. Rev. Lett.*, vol. 81, p. 4349, 1998. `chao-dyn/9810022`.

[65] Dittrich, W. and Reuter, M., *Classical and Quantum Dynamics:From Classical Paths to Path Integrals.* New York: Springer, 2001.

[66] Doebner, H. D. and Goldin, G. A., "Properties of nonlinear schrödinger equations associated with diffeomorphism group representations," *J. Phys. A*, vol. 27, pp. 1771–1780, 1994.

[67] DOELMAN, A., "Finite-dimensional models of the Ginzburg-Landau equation," *Nonlinearity*, vol. 4, pp. 231–250, 1991.

[68] DOELMAN, A., "Breaking the hidden symmetry in the Ginzburg-Landau equation," *Physica D*, vol. 97, pp. 398–428, 1996.

[69] DOERING, C. R., GIBBON, J. D., HOLM, D. D., and NIKOLAENKO, B., "Exact Lyapunov dimension of the universal attractor for the complex Ginzburg-Landau equation," *Phys. Rev. Lett.*, vol. 59, no. 26, pp. 2911–2914, 1987.

[70] DOERING, C. R., GIBBON, J. D., HOLM, D. D., and NIKOLAENKO, B., "Low-dimensional behaviour in the complex Ginzburg-Landau equation," *Nonlinearity*, vol. 1, pp. 279–309, 1988.

[71] DU, M. L. and DELOS, J. B., "Effect of closed classical orbits on quantum spectr: Ionization of atoms in a magnetic field," *Phys. Rev. Lett.*, vol. 58, no. 17, p. 1731, 1987.

[72] ECKMAN, J.-P. and COLLET, P., *Iterated Maps on the Interval as Dynamical Systems.* No. 1 in Progress in Physics, Boston: Birkhäuser, 1980.

[73] ECKMANN, J.-P., "Roads to turbulence in dissipative dynamical systems," *Rev. Mod. Phys.*, vol. 53, p. 643, 1981.

[74] ECKMANN, J.-P. and RUELLE, D., "Ergodic theory of chaos and strange attractors," *Rev. Mod. Phys.*, vol. 57, no. 3, p. 617, 1985.

[75] ECKMANN, J. P. and WAYNE, C. E., "Liapunov spectra for infinite chains of non-linear oscillators," *J. Stat. Phys.*, vol. 50, pp. 853–878, 1988.

[76] EGOLF, D. A. and GREENSIDE, H. S., "Relation between fractal dimension and spatial correlation length for extensive chaos," *Nature*, vol. 369, p. 129, 1994.

[77] EGOLF, D. A. and GREENSIDE, H. S., "Characterization of the transition from defect to phase turbulence," *Phys. Rev. Lett.*, vol. 74, no. 10, p. 1751, 1995.

[78] EGOLF, D. A., MELNIKOV, I. V., and BODENSCHATZ, E., "Importance of local pattern properties in spiral defect chaos," *Phys. Rev. Lett.*, vol. 80, p. 3228, 1998.

[79] EGOLF, D. A., MELNIKOV, I. V., PESCH, W., and ECKE, R. E., "Mechanisms of extensive spatiotemporal chaos in Rayleigh-Bénard convection," *Nature*, vol. 404, p. 733, 2000.

[80] EGUÍLUZ, V. M., ALSTRØM, P., HERNÁNDEZ-GARCÍA, E., and PIRO, O., "Average patterns of spatiotemporal chaos: A boundary effect," *Phys. Rev. E*, vol. 59, no. 3, p. 2822, 1999.

[81] FALCOLINI, C. and DE LA LLAVE, R., "Numerical calculation of domains of analyticity for perturbation theories in the presence of small divisors," *J. Stat. Phys.*, vol. 67, pp. 645–666, 1992.

[82] FARMER, J. D. and SIDOROWICH, J. J., "Predicting chaotic time series," *Phys. Rev. Lett.*, vol. 59, no. 8, p. 845, 1987.

[83] Feigenbaum, M. J., "Quantitative universality for a class of nonlinear transformations," *J. Stat. Phys.*, vol. 19, p. 25, 1978.

[84] Foias, C. and Jolly, M. S., "On the numerical algebraic approximation of global attractors," *Nonlinearity*, vol. 8, pp. 295–319, 1995.

[85] Foias, C., Jolly, M. S., Kevrekidis, I. G., Sell, G. R., and Titi, E. S., "On the computation of inertial manifolds," *Phys. Lett. A*, vol. 131, p. 433, 1988.

[86] Foias, C., Nicolaenko, B., Sell, G. R., and Temam, R., "Inertial manifold for the Kuramoto-Sivashinsky equation," *C. R. Acad. Sci. I-Math*, vol. 301, no. 6, pp. 285–288, 1985.

[87] Foias, C., Nicolaenko, B., Sell, G. R., and Temam, R., "Inertial manifold for the Kuramoto-Sivashinsky equation and an estimate of their lowest dimension," *J. Math. Pure Appl.*, vol. 67, no. 3, pp. 197–226, 1988.

[88] Foias, C., Nicolaenko, B., Sell, G. R., and Témam, R., "Kuramoto-Sivashinsky equation," *J. Math. Pures et Appl.*, vol. 67, p. 197, 1988.

[89] Frisch, U., *Turbulence*. Cambridge, England: Cambridge University Press, 1996.

[90] Frisch, U., Hasslacher, B., and Pomeau, Y., "Lattice-gas automata for the navier-stokes equation," *Phys. Rev. Lett.*, vol. 56, pp. 1505–1508, 1986.

[91] Frisch, U., She, Z. S., and Sulem, P.-L., "Large-scale flow driven by the anisotropic kinetic alpha effect," *Physica D*, vol. 28, pp. 382–392, 1987.

[92] Frisch, U., She, Z. S., and Thual, O., "Viscoelastic behavior of cellular solutions to the Kuramoto-Sivashinsky model," *J. Fluid Mech.*, vol. 168, pp. 221–240, 1986.

[93] Gameiro, M., Kalies, W., and Mischailow, K., "Topological characterization of spatial-temporal chaos," *submitted*, vol. 1, no. 1, p. 1, 2003.

[94] García-Archilla, B., Novo, J., and Titi, E. S., "Postprocessing the Gälerkin method: a novel approach to approximate inertial manifolds," *SIAM J. Numer. Anal.*, vol. 35, no. 3, pp. 941–972, 1998.

[95] Garnier, N., Chiffaudel, A., Daviaud, F., and Prigent, A., "Nonlinear dynamics of waves and modulated waves in 1d thermocapillary flows," *Physica D*, vol. 174, no. 1-4, pp. 1–29, 2003.

[96] Ghidaglia, J. M. and Héron, B., "Dimension of the attractors associated to the Ginzburg-Landau partial differential equation," *Physica D*, vol. 28, pp. 282–304, 1987.

[97] Ghrist, R., den Berg, J. B. V., and Vandervost, R. C., *Morse theory on spaces of braids and Lagrangian dynamics*. ArXiv preprint. math.DS/0105082.

[98] Giona, M. and Adrover, A., "Nonumiform stationary measure of the invariant unstable foliation in hamiltonian and fluid mixing systems," *Phys. Rev. Lett.*, vol. 81, no. 18, p. 3864, 1998.

[99] Golé, C., "A new proof of the aubry-mather's theorem," *Math. Z.*, vol. 210, pp. 441–448, 1992.

[100] Gollub, J. P., “Order and disorder in fluid motion,” *Proc. Natl. Acad. Sci. USA*, vol. 92, p. 6705, 1995.

[101] Golubitsky, M., Swift, J. W., and Knobloch, E., “Symmetries and pattern selection in Rayleigh-Bernard convection,” *Physica D*, vol. 10, p. 249, 1984.

[102] Grassberger, P., Kantz, H., and Moenig, U., “On the symbolic dynamics of Hénon map,” *J. Phys. A*, vol. 22, pp. 5217–5230, 1989.

[103] Grebogi, C., Hammel, S. M., Yorke, J. A., and Sauer, T., “Shadowing of physical trajectories in chaotic dynamics: Containment and refinement,” *Phys. Rev. Lett.*, vol. 65, pp. 1527–1530, 1990.

[104] Greene, J. M. and Kim, J. S., “The steady states of the Kuramoto-Sivashinsky equation,” *Physica D*, vol. 33, pp. 99–120, 1988.

[105] Griewank, A., “On automatic differentiation,” in *Mathematical Programming: Recent Developments and Applications* (Iri, M. and Tanabe, K., eds.), pp. 83–108, Amsterdam: Kluwer Academic Publishers, 1989.

[106] Grimshaw, R. and Hooper, A. P., “The non-existence of a certain class of travelling wave solutions of the Kuramoto-Sivashinsky equation,” *Physica D*, vol. 50, pp. 231–238, 1991.

[107] Guckenheimer, J. and Holmes, P., *Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields.* New York: Springer-Verlag, 1983.

[108] Guckenheimer, J. and Meloon, B., “Computing periodic orbits and their bifurcations with automatic differentiation,” *SIAM J. Sci. Comp.*, vol. 22, no. 3, pp. 951 – 985, 2000.

[109] Gutzwiller, M. C., *Chaos in Classical and Quantum Mechanics.* New York: Springer, 1990.

[110] Gutzwiller, M., *Chaos in Classical and Quantum Mechanics.* New York: Springer-Verlag, 1990.

[111] Hale, J., *Ordinary Differential Equations.* New York: Wiley-Interscience, 1969.

[112] Hale, J. and Koçak, H., *Dynamics and Bifurcations.* New York: Springer-Verlag, 1991.

[113] Hale, J. K., *Oscillations in Nonlinear Systems.* New York: McGraw-Hill, 1963.

[114] Hale, J. K. and Magalhaes, L. T., *An Introduction to Infinite Dimensional Systems-Geometric Theory.* New York: Springer-Verlag, 1984.

[115] Hansen, K. T., “Remarks on the symbolic dynamics for the Hénon map,” *Phys. Lett. A*, vol. 165, no. 2, pp. 100–104, 1992.

[116] Hansen, K. T., *Symbolic Dynamics in Chaotic systems.* PhD thesis, Uiversity of Oslo, Box 1048, Blindern, N-0316, Oslo, Norway, September 1993.

[117] Hao, B.-L., *Chao II.* Singapore: World Scientific, 1990.

[118] Hao, B.-L. and Zheng, W.-M., *Applied Symbolic Dynamics and Chaos*. Singapore: World Scientific, 1998.

[119] Hartman, P., *Ordinary Differential Equations*. New York: Wiley, 1964.

[120] Helleman, R. and Bountis, T., "Periodic solutions of arbitrary period, variational methods," *LNP*, vol. 93, p. 353, 1978.

[121] Hénon, M., *Generating Families in the Restricted Three-Body Problem II. Quantitative Study of Bifurcations*. New York: Springer, 2001.

[122] Hénon, M. and Heiles, C., "The applicability of the third integral of motion: Some numerical experiments," *Astron. J.*, vol. 69, p. 73, 1964.

[123] Henry, B. I., Watt, S. D., and Wearne, S. L., "A lattice refinement scheme for finding periodic orbits," *Anziam J.*, vol. 42E, pp. C735–C751, 2000.

[124] Hille, E., *Ordinary Differential Equations in the Complex Domain*. New York: Dover, 1997.

[125] Holmes, P., Lumley, J. L., and Berkooz, G., *Turbulence, Coherent Structures, Dynamical Systems and Symmetry*. Cambridge: Cambridge University Press, 1998.

[126] Holmes, P., Marsden, J., and Scheurle, J., "Exponentially small splittings of separatrices with applications to KAM theory and degenerate bifurcations," *Cont. Math., AMS*, vol. 81, pp. 213–244, 1988.

[127] Homburg, A. J., Osinga, H. M., and Vegter, G., "On the computation of invariant manifolds of fixed points," *Z. Angew. Math. Phys.*, vol. 46, p. 171, 1995.

[128] Hooper, A. P. and Grimshaw, R., "Nonlinear instability at the interface between two viscous fluids," *Phys. Fluids*, vol. 28, pp. 37–45, 1985.

[129] Hooper, A. P. and Grimshaw, R., "Travelling wave solutions of the Kuramoto-Sivashinsky equation," *Wave Motion*, vol. 10, pp. 405–420, 1988.

[130] Hopf, E., "A mathematical example displaying features of turbulence," *Comm. Appl. Math.*, vol. 1, pp. 303–322, 1948.

[131] Hopf, E., "The partial differential equation $u_t + uu_x = u_{xx}$," *Comm. Pure Appl. Math.*, vol. 3, pp. 201–230, 1950.

[132] Hunt, B. R. and Ott, E., "Optimal periodic orbits of chaotic systems," *Phys. Rev. Lett.*, vol. 76, p. 2254, 1996.

[133] Hyman, J. M. and Nicolaenko, B., "The Kuramoto-Sivashinsky equation: a bridge between pde's and dynamical systems," *Physica D*, vol. 18, pp. 113–126, 1986.

[134] Hyman, J. M., Nicolaenko, B., and Zaleski, S., "Order and complexity in the Kuramoto-Sivashinsky model of weakly turbulent interfaces," *Physica D*, vol. 23, pp. 265–292, 1986.

[135] Ince, E. L., *Ordinary Differential Equations*. New York: Dover, 1956.

[136] Janiaud, B., Pumir, A., Bensimon, D., Croquette, V., Richter, H., and Kramer, L., "The eckhaus instability for traveling waves," *Physica D*, vol. 55, p. 269, 1992.

[137] Janiaud, B., Pumir, A., Bensimon, D., Croquette, V., Richter, H., and Kramer, L., "The Eckhaus instability for travelling waves," *Physica D*, vol. 55, pp. 269–286, 1992.

[138] Jeffreys, H. and Jeffreys, B., *Methods of Mathematical Physics.* Cambridge: Cambridge University Press, 1999.

[139] Jensen, M. H., Bak, P., and Bohr, T., "Transition to chaos by interaction of resonances in dissipative systems," *Phys. Rev. A*, vol. 30, p. 1960, 1984.

[140] Johnson, M. E., Jolly, M. S., and Kevrekidis, I. G., "The oseberg transition: visualization of global bifurcations for the kuramoto-sivashinsky equation," *Int. J. Bifurc. Chaos*, vol. 11, no. 1, pp. 1–18, 2001.

[141] Jones, J., Troy, W. C., and MacGillivary, A. D., "Steady solutions of the Kuramoto-Sivashinsky equation for small wave speed," *J. Diff. Eqn.*, vol. 96, pp. 28–55, 1992.

[142] Kato, S. and Yamada, M., "Unstable periodic solutions embedded in a shell model turbulence," *Phys. Rev. E*, vol. 68, p. 025302, 2003.

[143] Kawahara, G. and Kida, S., "Periodic motion embedded in plane couette turbulence: regeneration cycle and burst," *J. Fluid Mech.*, vol. 449, pp. 291–300, 2001.

[144] Keller, H. B., *Numerical Methods for Two-Point Boundary-Value Problems.* New York: Dover, 1992.

[145] Kent, P. and Elgin, J., "Travelling-waves of the Kuramoto-Sivashinsky equation: period-multiplying bifurcations," *Nonlinearity*, vol. 5, pp. 899–919, 1992.

[146] Kevrekidis, I. G., Nicolaenko, B., and Scovel, J. C., "Back in the saddle again: a computer assisted study of the Kuramoto-Sivashinsky equation," *Siam J. Appl. Math.*, vol. 50, no. 3, pp. 760–790, 1990.

[147] Kevrekidis, I. G., Nicolaenko, B., and Scovel, J. C., "Back in the saddle again: a computer assisted study of the Kuramoto-Sivashinsky equation," *SIAM J. Applied Math.*, vol. 50, p. 760, 1990.

[148] Kolmogorov, A. N., "The local structure of turbulence in incompressible viscous fluid for very large reynolds numbers," *Proc. R. Soc. Lond. A*, vol. 434, no. 1890, pp. 9–13, 1991.

[149] Kook, H.-T. and Meiss, J. D., "Application of Newton's method to Lagrangian mappings," *Physica D*, vol. 36, pp. 317–326, 1989.

[150] Kook, H.-T. and Meiss, J. D., "Periodic orbits for reversible symplectic mappings," *Physica D*, vol. 35, pp. 65–86, 1989.

[151] Krasikov, I., Rodgers, G. J., and Tripp, C. E., "Growing random sequences," *J. Phys. A: Math. Gen.*, vol. 37, pp. 2365–2370, 2004.

[152] KRUSKAL, M., "Asymptotic theory of Hamiltonian and other systems with all solutons nearly periodic," *J. Math. Phys.*, vol. 3, no. 4, p. 806, 1962.

[153] KURAMOTO, Y., "Diffusion-induced chaos in reaction systems," *Suppl. Progr. Theor. Phys.*, vol. 64, pp. 346–367, 1978.

[154] KURAMOTO, Y., *Chemical Oscillations, Waves and Turbulence.* Berlin: Springer, 1984.

[155] KURAMOTO, Y. and TSUZUKI, T., "Persistent propagation of concentration waves in dissipative media far from thermal equilibrium," *Progr. Theor. Phys.*, vol. 55, p. 365, 1976.

[156] LAMB, J. S. W. and ROBERTS, J. A. G., "Time reversal symmetry in dynamical systems: A survey," *Physica D*, vol. 112, p. 1, 1998.

[157] LAN, Y., *Dynamical systems approach to 1-d spatiotemporal chaos - A cyclist's view.* PhD thesis, School of Physics, Geogia Institute of Technology, Atlanta, Georgia, 2004. Not completed yet.

[158] LAN, Y. and CVITANOVIĆ, P., "Variational method for finding periodic orbits in a general flow," *Phys. Rev. E*, vol. 69, p. 016217, 2004.

[159] LAN, Y., GARNIER, N., and CVITANOVIĆ, P., *Stationary modulated-amplitude waves in the 1D complex Ginzburg-Landau equation.* to appear in Phys. Rev. E.

[160] LANDAU, L. D., "On the problem of turbulence," *Akad. Nauk. Doklady*, vol. 44, p. 339, 1944.

[161] LAU, Y. T., "The "cocoon" bifurcations in three-dimensional systems with two fixed points," *Int. J. Bifur. Chaos*, vol. 2, pp. 543–558, 1992.

[162] LAWDEN, D. F., *Elliptic Functions and Applications.* New York: Springer-Verlag, 1989.

[163] LEGA, J., "Traveling hole solutions of the complex ginzburg landau equation: a review," *Physica D*, vol. 269, pp. 152–153, 2001.

[164] LORENZ, E. N., "Deterministic nonperiodic flow," *J. Atmos. Sci.*, vol. 20, p. 130, 1963.

[165] LUCE, B. P., "Homoclinic explosions in the complex Ginzburg-Landau equation," *Physica D*, vol. 84, pp. 553–581, 1995.

[166] MALOMED, B. A. and STENFLO, L., "Modulational instabilities and soliton solutions of a generalized nonlinear schrödinger equation," *J. Phys. A*, vol. 24, pp. L1149–L1153, 1991.

[167] MANDELBROT, B. B., *The Fractal Geometry of Nature.* New York: WH Freeman Co., 1982.

[168] MANNEVILLE, P., *Dissipative structures and weak turbulence.* Boston: Academic Press, 1990.

[169] MANNEVILLE, P. and CHATÉ, H., "Phase turbulence in the two-dimensional complex Ginzburg-Landau equation," *Physica D*, vol. 96, pp. 30–46, 1996.

[170] MARSDEN, J. E. and MCCRACKEN, M., *The Hopf Bifurcation and its Applications.* Springer-Verlag, 1976.

[171] MARTENS, C. C., DAVIS, M. J., and EZRA, G. S., "Local frequency analysis of chaotic motion in multidimensional systems: energy transport and bottlenecks in planar ocs," *Chem. Phys. Lett.*, vol. 142, no. 6, p. 519, 1987.

[172] MARTINE, M. and TEMAM, R., "Nonlinear Gälerkin methods," *SIAM J. Numer. Anal.*, vol. 26, no. 5, pp. 1139–1157, 1989.

[173] MATHER, J. N., "Variational construction of orbits of twist difeomorphisms," *J. Am. Math. Soc.*, vol. 4, pp. 207–263, 1991.

[174] MATKOWSKY, B. J. and VOLPERT, V., "Stability of plane wave solutions of complex Ginzburg-Landau equations," *Quart. Appl. Math.*, vol. LI, no. 2, pp. 265–281, 1993.

[175] MCCORD, C. K., "Uniqueness of connection orbits in the equation $y^{(3)} = y^2 - 1$," *J. Math. Anal. Appl.*, vol. 114, pp. 584–592, 1986.

[176] MELO, F., UMBANHOWAR, P., and SWINNEY, H. L., "Transition to parametric wave patterns in a vertically oscillated granular layer," *Phys. Rev. Lett.*, vol. 72, pp. 172–175, 1994.

[177] MICHELSON, D., "Steady solutions of the Kuramoto-Sivashinsky equation," *Physica 19D*, pp. 89–111, 1986.

[178] MICHELSON, D., "Steady solutions of the Kuramoto-Sivashinsky equation," *Physica D*, vol. 19, pp. 89–111, 1986.

[179] MICHELSON, D. M. and SIVASHINSKY, G. I., "Nonlinear analysis of hydrodynamic instability in laminar flames - ii. numerical experiments," *Acta Astr.*, vol. 4, pp. 1207–1221, 1977.

[180] MISCHAIKOW, K., "Topological techniques for efficient rigorous computations in dynamics," *Acta Numerica*, p. 001, 2002.

[181] MISCHAIKOW, K. and MROZEK, M., "Chaos in the Lorenz equations: a computer-assisted proof," *Bull. Amer. Math. Soc.(N.S.)*, vol. 32, p. 66, 1995.

[182] MISCHAIKOW, K. and MROZEK, M., "Chaos in the Lorenz equations: A computer assisted proof part ii: Details," *Math. Comp.*, vol. 67, pp. 1023–1046, 1998.

[183] MISCHAIKOW, K. and MROZEK, M., "The Conley index theory," in *Handbook of Dynamical Systems III: Towards Applications* (FIEDLER, B., IOOSS, G., and KOPELL, N., eds.), Singapore: Elsevier Science B. V., 2003.

[184] MISCHAIKOW, K., MROZEK, M., REISS, J., and SZYMCZAK, A., "Construction of symbolic dynamics from experimental time series," *Phys. Rev. Lett.*, vol. 82, no. 6, p. 1144, 1999.

[185] Montagne, R., Hernández-García, E., and Miguel, M. S., "Winding number instability in the phase-turbulence regime of the complex Ginzburg-Landau equation," *Phys. Rev. Lett.*, vol. 77, no. 2, p. 267, 1996.

[186] Moore, C., "Braids in classical gravity," *Phys. Rev. Lett.*, vol. 70, p. 3675, 1993.

[187] Moore, D. W. and Spiegel, E. A., "A thermally excited nonlinear oscillator," *Astrophys. J.*, vol. 143, p. 871, 1966.

[188] Moresco, P. and Dawson, S. P., "The PIM-simplex method: an extension of the PIM-triple method to saddles with an arbitrary number of expanding directions," *Physica*, vol. 126D, p. 38, 1999.

[189] Moser, J., *Stable and Random Motions in Dynamical Systems.* No. 77 in Ann. Math. Stud., Princeton: Princeton University Press, 1973.

[190] Newell, A. C., "Envelope equations," *Lect. Appl. Math.*, vol. 15, pp. 157–163, 1974.

[191] Newhouse, S. E., Ruelle, D., and Takens, F., "Occurrence of strange Axiom A attractors near quasi-periodic flows on $t^m (m = 3$ or more)," *Commun. Math. Phys.*, vol. 64, p. 35, 1978.

[192] Newton, P. K. and Sirovich, L., "Instabilities of Ginzburg-Landau equation: periodic solutions," *Quart. Appl. Math.*, vol. XLIV, no. 1, pp. 49–58, 1986.

[193] Newton, P. K. and Sirovich, L., "Instabilities of Ginzburg-Landau equation: secondary bifurcation," *Quart. Appl. Math.*, vol. XLIV, no. 2, pp. 367–374, 1986.

[194] Nicolaenko, B., Scheurer, B., and Temam, R., "Some global dynamical properties of the Kuramoto-Sivashinsky equations: nonlinear stability and attractors," *Physica D*, vol. 16, pp. 155–183, 1985.

[195] Nicolaenko, B., Scheurer, B., and Temam, R., "Some global dynamical properties of the Kuramoto-Sivashinsky equations:nonlinear stability and attractors," *Physica D*, vol. 16, pp. 155–183, 1985.

[196] Nozaki, K. and Bekki, N., "Pattern selection and spatiotemporal transition to chaos in the Ginzburg-Landau equation," *Phys. Rev. Lett.*, vol. 51, no. 24, p. 2171, 1983.

[197] Nozaki, K. and Bekki, N., "Exact solutions of the generalized Ginzburg-Landau equation," *J. Phys. Soc. Japan*, vol. 53, no. 5, pp. 1581–1582, 1984.

[198] Nusse, H. E. and York, J. A., "A procedure for finding numerical trajectories on chaotic saddles," *Physica*, vol. 36D, p. 137, 1989.

[199] Olver, P. J., *Applications of Lie Groups to Differential Equations*, vol. 107 of *GTM*. New York: Spring-Verlag, 1998.

[200] Oseledec, V. I., "A multiplicative ergodic theorem. liapunov characteristic numbers for dynamical systems," *Trans. Moscow Math. Soc.*, vol. 19, pp. 197–221, 1968.

[201] Pereira, N. R. and Stenflo, L., "Nonlinear schrödinger equation including growth and damping," *Phys. Fluid*, vol. 20, no. 10, pp. 1733–1734, 1977.

[202] Perko, L., *Differential Equations and Dynamical Systems.* New York: Springer-Verlag, 1991.

[203] Pingel, D., Schmelcher, P., and Diakonos, F. K., "Detecting unstable periodic orbits in chaotic continuous-time dynamical systems," *Phys. Rev. E*, vol. 64, no. 2, p. 026214, 2001.

[204] Pingel, D., Schmelcher, P., Diakonos, F., and Biham, O., "Theory and applications of the systematic detection of unstable periodic orbits in dynamical systems," *Phys. Rev. E*, vol. 62, p. 2119, 2000. `nlin.CD/0006011`.

[205] Poincaré, H., *New Methods in Celestial Mechanics*, vol. 13 of *History of Modern Physics and Astronomy.* New York: Springer-Verlag, 1992.

[206] Pomeau, Y. and Manneville, P., "Intermittent transition to turbulence in dissipative dynamical systems," *Commun. Math. Phys.*, vol. 74, p. 189, 1980.

[207] Porubov, A. V. and Velarde, M. G., "Exact periodic solutions of the complex Ginzburg-Landau equation," *J. Math. Phys.*, vol. 40, no. 2, p. 884, 1999.

[208] Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P., *Numerical Recipes in C.* Cambridge, England: Cambridge University Press, 1992.

[209] Pugh, C., "An improved closing lemma and a general density theorem," *Amer. J. Math.*, vol. 89, 1967.

[210] Quey, R. E. L., Mahajan, S. M., Rutherford, P. H., and Tang, W. M., "Nonlinear saturation of the trapped-ion mode," *Phys. Rev. Lett.*, vol. 34, pp. 391–394, 1974.

[211] Ramshankar, R. and Gollub, J. P., "Transport by capillary waves, part ii: Scalar dispersion and the structure of the concentration field," *Phys. Fluids A*, vol. 3, p. 1344, 1991.

[212] Rodriguez, J. D. and Sirovich, L., "Low-dimensional dynamics for the complex Ginzburg-Landau equation," *Physica D*, vol. 43, pp. 77–86, 1990.

[213] Rössler, O. E., "An equation for continuous chaos," *Phys. Lett. A*, vol. 57, p. 397, 1976.

[214] Rothstein, D., Henry, E., and Gollub, J. P., "Persistent patterns in transient chaotic fluid mixing," *Nature*, vol. 401, pp. 770–772, 1999.

[215] Roždestvenskiĭ, B. and Janenko, N., *Systems of Quasilinear Equations and Their Applications to Gas Dynamics.* Providence, RI: AMS, 1983.

[216] Ruelle, D., *Statistical Mechanics, Thermodynamic Formalism.* Reading, MA: Addison-Wesley, 1978.

[217] Ruelle, D., "Large volume limit of the distribution of characteristic exponents in turbulence," *Commun. Math. Phys.*, vol. 87, pp. 287–302, 1982.

[218] Ruelle, D., "Conversations on nonequilibrium physics with an extraterrestrial," *Physics Today*, vol. 57, no. 5, pp. 48–53, 2004.

[219] Ruelle, D. and Takens, F., "On the nature of turbulence," *Commun. Math. Phys.*, vol. 20, p. 167, 1971.

[220] Rugh, H., "The correlation spectrum for hyperbolic analytic maps," *Nonlinearity*, vol. 5, p. 1237, 1992.

[221] Rybakowski, K. P., *The Homotopy Index and Partial Differential equations.* New York: Spring-Verlag, 1980.

[222] Sakaguchi, H., "Breakdown of the phase dynamics," *Prog. Ther. Phys.*, vol. 84, no. 5, pp. 792–800, 1990.

[223] Scheuer, J. and Malomed, B. A., "Stable and chaotic solutions of the complex Ginzburg-Landau equation with periodic boundary conditions," *Physica D*, vol. 161, pp. 102–115, 2002.

[224] Schmelcher, P. and Diakonos, F. K., "General appoach to the localization of unstable periodic orbits in chaotic dynamical systems," *Phys. Rev. E*, vol. 57, no. 3, p. 2739, 1998.

[225] Schöpf, W. and Kramer, L., "Small-amplitude periodic and chaotic solutions of the complex Ginzburg-Landau equation for a subcritical bifurcation," *Phys. Rev. Lett.*, vol. 66, no. 18, p. 2316, 1991.

[226] Schuster, H. G., *Deterministic Chaos: an introduction.* Weinheim: VCH Verlagsgesellschaft, 1995.

[227] Sepulchre, J.-A. and Mackay, R., "Localized oscillations in conservative or dissipative networks of weakly coupled autonomous oscillators," *Nonlinearity*, vol. 10, pp. 679–713, 1997.

[228] Shchekinova, E., Chandre, C., Lan, Y., and Uzer, T., "Analyzing intramolecular dynamics by fast lyapunov indicators," *J. Chem. Phys.*, vol. 121, pp. 1–7, 2004.

[229] Shraiman, B. I., Pumir, A., van Saarloos, W., Hohenberg, P. C., Chaté, H., and Holen, M., "Spatiotemporal chaos in the one-dimensional complex Ginzburg-Landau equation," *Physica D*, vol. 57, pp. 241–248, 1992.

[230] Sidorov, N., Loginov, B., Sinitsyn, A., and Falaleev, M., *Lyapunov-Schmidt Methods in Nonlinear Analysis and Applications*, vol. 550 of *mathematics and its applications.* Dordrecht: Kluwer Academic Publishers, 2002.

[231] Sinai, Y. G., *Introduction to Ergodic Theory.* Princeton: Princeton University Press, 1976.

[232] Sivashinsky, G. I., "Nonlinear analysis of hydrodynamical instability in laminar flames - i. derivation of basic equations," *Acta Astr.*, vol. 4, p. 1177, 1977.

[233] Sivashinsky, G. I. and Michelson, D. M., "On irregular wavy flow of a liquid down a vertical plane," *Prog. Theor. Phys. Suppl.*, vol. 66, p. 2112, 1980.

[234] Smale, S., "Differentiable dynamical systems," *Bull. Amer. Math. Soc.*, vol. 73, pp. 747–817, 1967.

[235] Spalding, D. B., "Kolmogorov's two-equation model of turbulence," *Proc. R. Soc. Lond. A*, vol. 434, no. 1890, pp. 211–216, 1991.

[236] Sparrow, C., *The Lorenz Equations: Bifurcations, Chaos and Strange Attractors.* New York: Springer- Verlag, 1982.

[237] Spiegel, E. A., "Chaos: a mixed metaphor for turbulence," *Proc. Roy. Soc.*, vol. A413, p. 87, 1987.

[238] Stenflo, L. and Gradov, O. M., "Solitary surface-wave deformation of a plasma boundary," *Phys. Plasmas*, vol. 1, no. 8, p. 2804, 1994.

[239] Stenflo, L. and Yu, M. Y., "Plasma oscillons in spherically bounded magnetized plasmas," *Phys. Plasmas*, vol. 5, p. 3122, 1998.

[240] Stenflo, L. and Yu, M. Y., "Oscillons at a plasma surface," *Phys. Plasmas*, vol. 10, no. 3, pp. 912–913, 2003.

[241] Sterling, D. and Meiss, J. D., "Computing periodic orbits using the anti-integrable limit," *Phys. Lett. A*, vol. 241, pp. 46–52, 1998.

[242] Stoer, J. and Bulirsch, R., *Introduction to Numerical Analysis.* New York: Springer-Verlag, 1983.

[243] Strain, M. C. and Greenside, H. S., "Size-dependent transition to high-dimensional chaotic dynamics in a two-dimensional excitable media," *Phys. Rev. Lett.*, vol. 80, no. 11, pp. 2306–2309, 1998.

[244] Strogatz, S. H., *Nonlinear Dynamics and Chaos.* Studies in Nonlinearity, Cambridge Massachusetts: Perseus Publishing, 2000.

[245] Sweet, D., Nusse., H. E., and Yorke, J. A., "Stagger-and-step method: Detecting and computing chaotic saddles in higher dimensions," *Phys. Rev. Lett.*, vol. 86, no. 11, p. 2261, 2001.

[246] Szebehely, V., *Theory of Orbits.* New York: Academic Press, 1967.

[247] Tajima, S. and Greenside, H. S., "Microextensive chaos of a spatially extended system," *Phys. Rev. E*, vol. 66, p. 017205, 2002.

[248] Takáč, P., "Invariant 2-tori in the time-dependent Ginzburg-Landau equation," *Nonlinearity*, vol. 5, pp. 289–321, 1992.

[249] Temam, R., *Infinite-Dimensional Dynamical Systems in Mechanics and Physics.* No. 68 in Appl. Math. Sci., New York: Springer-Verlag, 1988.

[250] Temam, R., "Approximation of attractors, large eddy simulations and multiscale methods," *Proc. R. Soc. Lond. A*, vol. 434, no. 1890, pp. 23–39, 1991.

[251] Temme, N. M., *Special functions: an introduction to the classical functions of mathematical physics.* New York: Wiley-Interscience, 1996.

[252] Thomas, J. W., *Numerical Partial Differential Equations.* New York: Spring-Verlag, 1995.

[253] Tompaidis, S., "Numerical study of invariant sets of a quasi-periodic perturbation of a symplectic map," *Experimental Mathematics*, vol. 5, pp. 211–230, 1996.

[254] Torcini, A., "Order parameter for the transition from phase to amplitude turbulence," *Phys. Rev. Lett.*, vol. 77, no. 6, p. 1047, 1996.

[255] Troy, W. C., "The existence of steady solutions of the Kuramoto-Sivashinsky equation," *J. Diff. Eqn.*, vol. 82, pp. 269–313, 1989.

[256] und H. Frauenkron, A. T. and Grassberger, P., "Studies of phase turbulence in the one dimensional complex Ginzburg-Landau equation," *Phys. Rev. E*, vol. 55, p. 5073, 1997.

[257] van Hecke, M., "Building blocks of spatiotemporal intermittency," *Phys. Rev. Lett.*, vol. 80, p. 1896, 1998.

[258] van Hecke, M., "Building blocks of spatiotemporal intermittency," *Phys. Rev. Lett.*, vol. 80, no. 9, p. 1896, 1998.

[259] van Hecke, M., "Coherent and incoherent structures in systems described by the 1d CGLE: Experiments and identification," *Physica D*, vol. 174, p. 134, 2003.

[260] van Hecke, M., Hohenberg, P. C., and van Saarloos, W., "Amplitude equations for pattern forming systems," in *Fundamental Problems in Statistical Mechanics* (van Beijeren, H. and Ernst, M. H., eds.), vol. VIII, Amsterdam: North-Holland, 1994.

[261] van Hecke, M. and Howard, M., "Ordered and self-disordered dynamics of holes and defects in the one-dimensional complex Ginzburg-Landau equation," *Phys. Rev. Lett.*, vol. 86, no. 10, p. 2018, 2001.

[262] van Saarloos, W. and Hohenberg, P. C., "Pulses and fronts in the complex Ginzburg-Landau equation near a subcritical bifurcation," *Phys. Rev. Lett.*, vol. 64, no. 7, p. 749, 1990.

[263] van Saarloos, W. and Hohenberg, P. C., "Fronts, pulses, sources and sinks in generalized complex Ginzburg-Landau equations," *Physica D*, vol. 56, pp. 303–367, 1992.

[264] Varga, A. and Pieters, S., "Gradient-based approach to solve optimal periodic output feedback control problems," *Automatica*, vol. 34, no. 4, pp. 477–481, 1998.

[265] Viswanath, D., "The Lindstedt-Poincaré technique as an algorithm for finding periodic orbits," *SIAM Review*, vol. 43, pp. 478–496, 2002.

[266] Viswanath, D., "Symbolic dynamics and periodic orbits of the Lorenz attractor," *Nonlinearity*, vol. 16, pp. 1035–1056, 2003.

[267] Viswanath, D., "An extension of the Lindstedt-Poincaré algorithm for computing periodic orbits." unpublished.

[268] Vladimirov, S. V. and Yu, M. Y., "Boundary effects on the nonlinear interactions of surface waves," *Phys. Fluids B*, vol. 5, p. 2888, 1993.

[269] Vladimirov, S. V. and Yu, M. Y., "Coupled electron surface plasma wave solitons in slabs," *Phys. Lett. A*, vol. 184, p. 459, 1994.

[270] Voth, G. A., Haller, G., and Gollub, J. P., "Experimental measurements of streching fields in fluid mixing," *Phys. Rev. Lett.*, vol. 88, no. 25, p. 254501, 2002.

[271] Walters, P., *An introduction to ergodic theory.* New York: Speringer-Verlag, 1981.

[272] Weiss, J., "The Painlevé for partial differential equations.ii: Bäcklund transformation, lax pairs, and the schwarzian derivative," *J. Math. Phys.*, vol. 24, p. 1405, 1983.

[273] Weiss, J., "Bäcklund transformation and the Painlevé property," *J. Math. Phys.*, vol. 27, p. 1293, 1986.

[274] Weiss, J., Tabor, M., and Carnevale, G., "The Painlevé property for partial differential equations," *J. Math. Phys.*, vol. 24, p. 522, 1983.

[275] Wiggins, S., *Global Bifurcations and Chaos.* New York: Springer-Verlag, 1988.

[276] Wittenberg, R. W. and Holmes, P., "Scale and space localization in the Kuramoto-Sivashinsky equation," *Chaos*, vol. 9, no. 2, p. 452, 1999.

[277] Wolfram, S., *Cellular Automata and Complexity.* Red-wood City: Addison-Wesley, 1994.

[278] Yang, T.-H., Hunt, B. R., and Ott, E., "Optimal periodic orbits of continuous time chaotic systems," *Phys. Rev. E*, vol. 62, no. 2, p. 1950, 2000.

[279] Yang, T. S., "On travelling-wave solutions of the Kuramoto-Sivashinsky equation," *Physica D*, vol. 110, pp. 25–42, 1997.

[280] Yuan, G.-C., Yorke, J. A., Carroll, T. L., Ott, E., and Pecora, L. M., "Testing whether two chaotic one dimensional processes are dynamically identical," *Phys. Rev. Lett.*, vol. 85, no. 20, p. 4265, 2000.

[281] Zabusky, N. J. and Kruskal, M. D., "Interaction of "solitons" in a collisionless plasma and the recurrence of initial states," *Phys. Rev. Lett.*, vol. 15, p. 240, 1965.

[282] Zgliczynski, P. and Mischaikow, K., "Rigorous numerics for partial differential equations: the kuramoto-sivashinsky equation," *Foundations of Comp. Math.*, vol. 1, pp. 255–288, 2001.

[283] Zoldi, S. M. and Greenside, H. S., "Spatially localized unstable periodic orbits of a high-dimensional chaotic system," *Phys. Rev. E*, vol. 57, p. R2511, 1998.

INDEX

Index